


STRAN PRODUCT FLEX® GUIDE

Packaging that works
as hard as you do





WHY STRANFLEX®



HIGH
PERFORMANCE



VISUAL
ORGANIZATION



GREAT
VALUE



SUPERIOR
PROTECTION

OUR BRANDS



When only the best will do, **STRANFLEX® Elite** delivers unmatched quality and performance. These premium products are engineered for the toughest packaging challenges, giving you peace of mind that every load is secure.

STRANFLEX® Performance products are your everyday heroes. They're reliable, consistent, and built to keep your operations running strong. They provide excellent hold and durability, so you can spend less time worrying about rework and more time focusing on what matters most.

STRANFLEX® prism brings clarity and control to your packaging process. With vibrant tints and opaque colors, it's easy to identify loads, streamline inventory, and even add a layer of security by concealing contents.

Whether you're color-coding for efficiency or creating a distinctive look, this film helps you stay organized and stand out. We make it simple to combine functionality with visual impact.

STRANFLEX® revolve helps you protect your products and the planet by incorporating recycled content and more recyclable materials into these products. These more sustainable solutions support your sustainability goals without sacrificing strength or efficiency.

Together, we can make packaging smarter and more responsible.



STRANFLEX® redefines reliability, efficiency, and durability in the world of packaging supplies. Whether you are securing shipments for transit, enhancing packaging performance, or streamlining your processes, **STRANFLEX** offers a comprehensive line of high-quality packaging solutions designed to meet the demands of modern industries.


Experience the difference that **STRANFLEX** can make for your business. With our superior packaging solutions and commitment to quality, we are your trusted partner in achieving packaging excellence. Join the growing number of satisfied customers who rely on **STRANFLEX** for their packaging needs.



STRANFLEX is a BradyPLUS exclusive brand.



PLUS PICK



Shop Smarter with PLUS Picks: Top Products Always in Stock

Discover PLUS Picks — a curated collection of our most trusted, high-demand products in Janitorial-Sanitation, Foodservice, and Packaging. Handpicked from elite supplier partners and our exclusive brands, PLUS Picks are always in stock at select distribution centers to ensure fast, reliable delivery when you need it most.

Whether you're stocking up for your production floor, manufacturing plant, food processing facility, warehouse, distribution center, or fulfillment center you can count on PLUS Picks to be there — no guesswork, no delays.

Look out for the PLUS Picks icon on products in this catalog!

* STRANFLEX products may not be available in all areas. Please see your local sales representative for details.

TABLE OF CONTENTS

Bin Liners + Pallet Covers	6
Cable Ties	6-7
Edge Protectors	7
Labels	8-9
Direct Thermal Labels	8
Thermal Transfer Labels	9
Thermal Transfer Ribbons	10
Packing List Envelopes	11
Strapping	14-16
Steel Strapping	14
Polyester (PET) Strapping	15
Polypropylene (PP) Strapping	16
Stretch Film	20-25
Hand Banding Film	20
Conventional Hand Film	20
Pre-Stretch Hand Film	21
Machine Stretch Film	22-23
prism Hand + Machine Film	24
revolve Machine Film	25
Tape	28-35
Acrylic Tape	28-29
Filament Tape	30
Hot Melt Tape	31-32
Masking Tape	33
Water Activated (WAT) Tape	34
Tape Dispensers	35

Bin Liners + Pallet Covers

STRANFLEX® Bin Liners and Pallet Covers deliver durable, multi-purpose protection for waste management and product storage.

Made from a strong LDPE/LLDPE blend, they resist punctures and tears, and are conveniently packaged on perforated rolls for fast, efficient use in busy operations.



BIN LINER + PALLET COVER PRODUCTS

ITEM #	TYPE	DIMENSIONS	GAUGE	COLOR	CORE SIZE	ROLL WEIGHT	CASE PACK	PALLET PACK
SF4842482MILCLR*	Bin Liner	48" W x 42" D x 48" L	2.0 mil	Clear	3" Core	57 lbs.	100 liners/rl	25 rls/plt
SF5149732MILCLR*	Pallet Cover	51" W x 49" D x 73" L	2.0 mil	Clear	3" Core	51.4 lbs.	55 covers/rl	25 rls/plt

* Made with virgin resin

Cable Ties

STRANFLEX® Cable Ties are built to tackle your toughest bundling challenges with confidence.

Engineered for long-lasting durability and dependable performance, and featuring a rugged one-piece design that delivers secure, hassle-free wire and cable management.

Select the perfect fit from a range of tensile strengths, lengths, and colors: natural for indoor use and UV-resistant black designed to withstand outdoor environments.



CABLE TIE PRODUCTS

ITEM #	TYPE	LENGTH	TENSILE STRENGTH	WIDTH	THICKNESS	COLOR	PACK	CASE
SF6118LBNAT	Miniature	6.1"	18 lbs	0.10"	0.05"	Natural	1,000	20,000 pk/cs
SF818LBNAT	Miniature	8"	18 lbs	0.10"	0.05"	Natural	1,000	20,000 pk/cs
SF5740LBNAT	Intermediate	5.7"	40 lbs	0.14"	0.06"	Natural	1,000	10,000 pk/cs
SF850LBNAT	Standard	8"	50 lbs	0.19"	0.06"	Natural	1,000	10,000 pk/cs
SF14550LBNAT	Standard	14.5"	50 lbs	0.19"	0.06"	Natural	1,000	5,000 pk/cs

Cable Ties

CABLE TIE PRODUCTS [CONTINUED]

ITEM #	TYPE	LENGTH	TENSILE STRENGTH	WIDTH	THICKNESS	COLOR	PACK	CASE
SF15120LBUVBLK	Heavy-Duty	15"	120 lbs	0.30"	0.07"	UV Black	100	2,000 pk/cs
SF18120LBUVBLK	Heavy-Duty	17.7"	120 lbs	0.30"	0.07"	UV Black	50	1,000 pk/cs
SF24175LBNAT	Extra Heavy-Duty	24"	175 lbs	0.35"	0.08"	Natural	50	500 pk/cs
SF24175LBBLKAW	Extra Heavy-Duty	24.5"	175 lbs	0.35"	0.08"	UV Black	50	500 pk/cs
SF36175LBBLA	Extra Heavy-Duty	36"	175 lbs	0.35"	0.08"	Black	50	500 pk/cs
SF36175LBNAT	Extra Heavy-Duty	36.7"	175 lbs	0.35"	0.08"	Natural	50	500 pk/cs
SF48175LBUVBLK	Extra Heavy-Duty	48"	175 lbs	0.35"	0.08"	UV Black	50	500 pk/cs
SF28250LBUVBLK	Ultra Heavy-Duty	28"	250 lbs	0.50"	0.09"	UV Black	50	500 pk/cs
SF28250LBNAT	Ultra Heavy-Duty	28.7"	250 lbs	0.50"	0.09"	Natural	50	500 pk/cs

Edge Protectors

STRANFLEX® Edge Protectors are manufactured from 100% recycled chipboard (80% post-consumer/20% pre-consumer fibers), these edge protectors provide exceptional durability and load stability.

Designed to prevent compression, edge damage, and shifting during transit, they are ideal for protecting fragile products (such as food and beverage items), high-value palletized goods, and for long distance shipments.

Made in the USA.



100%
RECYCLABLE

EDGE PROTECTOR PRODUCTS

ITEM #	DIMENSIONS	THICKNESS	USAGE	COLOR	COATING	PACK
SFE2x2x48.120	2" x 2" x 48"	0.120"	Medium-Duty	White Wrapped	Uncoated	3,136 pcs/plt
SFE2x2x48.160	2" x 2" x 48"	0.160"	Heavy-Duty	White Wrapped	Uncoated	2,268 pcs/plt
SFE2X2X36.120	2" x 2" x 36"	0.120"	Medium-Duty	White Wrapped	Uncoated	4,000 pcs/plt

Labels

Direct Thermal

STRANFLEX® Direct Thermal Labels are designed for fast, efficient printing without the need for ribbons. Featuring a durable, matte-coated facestock and permanent adhesive, these labels deliver crisp, high-resolution barcodes and text while resisting smudging and moisture. They support streamlined workflows and reliable performance in high-volume packaging environments.



HIGH-VOLUME
WORKFLOWS



IDEAL FOR
SHORT-TERM USAGE


DIRECT THERMAL LABEL PRODUCTS

ITEM #	LABEL DIMENSIONS	CORE SIZE	OUTER DIMENSION	FORMAT	PERFORATION	COLOR	LABEL PACK	CASE PACK
SFLABLDT4X6PFF	4"x6"	N/A	N/A	Fanfold	Yes	White	2,000 lbl/stk	4,000 lbl/cs
SFLABLDT4X6P3	4"x6"	3"	8"	Roll	Yes	White	1,000 lbl/rl	4 rl/cs
SFLABLDT4X6P1	4"x6"	1"	4"	Roll	Yes	White	250 lbl/rl	16 rl/cs
SFLABLDT4X65PFF	4"x6.5"	N/A	N/A	Fanfold	Yes	White	2,000 lbl/stk	4,000 lbl/cs
SFLABLDT4X8P3	4"x8"	3"	8"	Roll	Yes	White	750 lbl/rl	4 rl/cs
SFLABLDT4X8NP3	4"x8"	3"	8"	Roll	No	White	750 lbl/rl	4 rl/cs
SFLABLDT4X8PFF	4"x8"	N/A	N/A	Fanfold	Yes	White	1,500 lbl/stk	3,000 lbl/cs


Fanfolded Labels: Labels are stacked in a zig-zag, accordion-style fold and feed from a box or tray behind the printer—ideal for high-volume printing and use with external label rewinders.

Roll Labels: Labels are wound around a cardboard core and loaded onto a spindle inside or outside the printer, making them the standard choice for desktop and mid-range printers.

ROLLS: 1" & 3" Cores | 4"x6" & 4"x8" Labels



FANFOLDS: 4"x6", 4"x6.5" & 4"x8" Labels



Labels

Thermal Transfer

STRANFLEX® Thermal Transfer Labels are engineered for long-lasting durability and chemical resistance, using a matte-coated facestock and permanent adhesive. These labels produce dense, high-resolution images with wax, resin, or wax/resin ribbons, ensuring reliable identification and traceability in demanding environments.



LONG-TERM
READABILITY





THERMAL TRANSFER
RIBBON REQUIRED



THERMAL TRANSFER LABEL PRODUCTS

ITEM #	LABEL DIMENSIONS	CORE SIZE	OUTER DIMENSIONS	FORMAT	PERFORATION	COLOR	LABEL PACK	CASE PACK
SFLABLTT4X6NP3	4"x6"	3"	8"	Roll	No	White	1,000 lbl/rl	4 rl/cs
SFLABLTT4X6P3	4"x6"	3"	8"	Roll	Yes	White	1,000 lbl/rl	4 rl/cs
SFLABLTT4X4NP3	4"x4"	3"	8"	Roll	No	White	1,500 lbl/rl	4 rl/cs
SFLABLTT4X4P3	4"x4"	3"	8"	Roll	Yes	White	1,500 lbl/rl	4 rl/cs

4" x 6"



4" x 4"



REMEMBER WHEN PICKING LABELS TO...

- **Choose** — The label material based on the environment it's being used in
- **Consider** — The total cost as the right label material means less waste and maintenance
- **Consolidate** — Standardize label sizes when possible to reduce complexity and costs

Thermal Transfer Ribbons

STRANFLEX® Elite + Performance Thermal Transfer Ribbons deliver sharp, high-speed prints for short-term labeling on paper substrates.

Performance offers cost-efficient, low-energy printing for everyday logistics and retail needs, while Elite provides bold, consistent quality across coated and rough surfaces for maximum versatility.



ELITE ALL SUBSTRATES THERMAL TRANSFER RIBBON PRODUCTS

ITEM #	DIMENSIONS	MATERIAL	COLOR	CASE PACK	PACK
SFERIB433X1476	4.33" x 1,476'	Wax	Black	12 pcs/cs	48 cs/plt
SFERIB4X984	4.00" x 984'	Wax	Black	24 pcs/cs	48 cs/plt

PERFORMANCE COMPETITIVE THERMAL TRANSFER RIBBON PRODUCTS

ITEM #	DIMENSIONS	MATERIAL	COLOR	CASE PACK	PACK
SFPRIB433x1476	4.33" x 1,476'	Wax	Black	12 pcs/cs	48 cs/plt
SFPRIB4X984	4.00" x 984'	Wax	Black	24 pcs/cs	48 cs/plt

QUICK TROUBLESHOOTING GUIDE

ISSUE	LIKELY CAUSE	FIX
LIGHT PRINT	Low heat; high speed	Increase darkness; slow speed; clean head; use a higher grade wax ribbon
SMUDGING	Low heat; incompatible label	Increase heat; reduce speed; use uncoated paper; use a higher grade wax ribbon
WRINKLING	Low tension; misalignment	Re-thread; adjust pressure; increase tension; use 4.33" width
WHITE STREAKS	Dirty head/roller; dust	Clean head & roller; clear debris; verify ribbon path
POOR BARCODES	Low contrast; high speed	Increase heat; reduce speed; clean head; use a higher grade wax ribbon
RIBBON TEAR	Heat too high; tension too high	Lower darkness; reduce tension; check alignment

Packing List Envelopes

STRANFLEX® Packing List Envelopes are durable and provide secure, moisture-resistant protection for shipping documents in transit.



Available in both plain and "Packing List Enclosed" printed options, these envelopes feature a strong adhesive backing and a clear film front for easy document visibility.



PACKING LIST ENVELOPE PRODUCTS

ITEM #	LABEL DIMENSIONS*	PACKING LIST OPENING	PRINT TYPE**	POLY THICKNESS	TOP SHEET	BOTTOM SHEET	CASE PACK
SFPPL45X55PRT	4.5"x5.5"	Side Loading	Printed	2 mil	Clear Poly	Coated White	1,000 pcs/cs
SFPPL45X55PLN	4.5"x5.5"	Side Loading	Plain	2 mil	Clear Poly	Coated White	1,000 pcs/cs
SFPPL7x55PRT	7"x5.5"	Side Loading	Printed	2 mil	Clear Poly	Coated White	1,000 pcs/cs
SFPPL7x55PLN	7"x5.5"	Side Loading	Plain	2 mil	Clear Poly	Coated White	1,000 pcs/cs
SFPPL7x10PLN	7"x10"	Side Loading	Plain	2 mil	Clear Poly	Coated White	1,000 pcs/cs
SFPPL95x12PLN	9.5"x12"	Side Loading	Plain	2 mil	Clear Poly	Coated White	500 pcs/cs
SFPPL10x12PLN	10"x12"	Side Loading	Plain	2 mil	Clear Poly	Coated White	500 pcs/cs
SFPPL55x10PLN	5.5"x10"	Side Loading	Plain	2 mil	Clear Poly	Coated White	1,000 pcs/cs

* Opening dimension listed first; ** Printed: Features a clear film front boldly printed with "Packing List Enclosed"



BEST PRACTICES FOR COMPLIANCE + VISIBILITY

- **For Fast Scanning** — Place packing list envelope in the upper right quadrant of the carton
- **For Maximum Adhesion** — Ensure the carton surface is clean, dry, and without dust
- **Use Top Loading For** — High volume packing, pallets or tall cartons
- **Use Side Loading For** — Heavy, multi-page documents, prevent documents from slipping out
- **Use Clear Packing List Envelopes For** — Multi- page documents and international paperwork
- **Use Printed Packing List Envelopes For** — Fast identification in high-volume situations




INNOVATION STARTS HERE.


At **BradyPLUS**, we believe that we are an extension of your team - your dedicated business partner to help you succeed. Our industrial packaging equipment innovation center offers a variety of benefits for businesses of any size.

Centrally located in Hot Springs, AR, we showcase the latest and greatest in packaging technology, allowing you to learn about new machines and processes that help improve your packaging operations. Get hands-on experience with equipment, and see how it can be utilized to improve your packaging line.

If you are looking for ways to further improve your packaging operations, schedule an appointment with a representative today.



**Equipment
Demonstrations**



**Test Load
Containment**



**Performance
Data Evaluation**



Strapping

Steel Strapping

STRANFLEX® Elite Steel Strapping is engineered for maximum strength and reliability in demanding industrial applications.

Available in both high tensile and regular duty grades, each strap is treated with a hard wax coating for smooth performance in automatic machines and around sharp corners.

Made in the USA.



HEAVY-DUTY
PERFORMANCE



ELITE STEEL STRAPPING PRODUCTS

ITEM #	TYPE	WIDTH	THICKNESS	BREAK STRENGTH	LENGTH / WEIGHT	AVERAGE COIL WEIGHT	STANDARD WINDING	STRAP FINISH	PACK
SFESTRSTL1/2x020RD	Regular Duty	1/2"	0.020"	1,200 lbs	29.4 ft/lb	100-105 lbs	Oscillated	WAX + PTD	12 cl/plt
SFESTRSTL5/8x023RD	Regular Duty	5/8"	0.023"	1,725 lbs	20.5 ft/lb	100-105 lbs	Oscillated	WAX + PTD	12 cl/plt
SFESTRSTL3/4x020RD	Regular Duty	3/4"	0.020"	1,800 lbs	19.6 ft/lb	100-105 lbs	Oscillated	WAX + PTD	12 cl/plt
SFESTRSTL3/4x023RD	Regular Duty	3/4"	0.023"	2,070 lbs	17.1 ft/lb	100-105 lbs	Oscillated	WAX + PTD	12 cl/plt
SFESTRSTL5/8x020HT	High Tensile	5/8"	0.020"	1,875 lbs	23.6 ft/lb	100-105 lbs	Oscillated	WAX + PTD	12 cl/plt
SFESTRSTL3/4x025HT	High Tensile	3/4"	0.025"	2,800 lbs	15.7 ft/lb	100-105 lbs	Oscillated	WAX + PTD	12 cl/plt
SFESTRSTL11/4x029HT	High Tensile	11/4"	0.029"	5,450 lbs	8.1 ft/lb	100-105 lbs	Ribbon	WAX + PTD	24 cl/plt

CHOOSING THE RIGHT TYPE OF STRAPPING

- **Steel** — Cost-effective and versatile, polypropylene strapping is perfect for light- to medium-duty applications. Easy to apply by hand or machine, it delivers reliable load security without compromising efficiency. Best for light to medium pallets with moderate strength and excellent flexibility.
- **Polyester (PET)** — Lightweight yet strong, polyester strapping offers high tensile strength and excellent shock absorption. Ideal for securing pallets and shipments while reducing damage risk, it's a sustainable alternative to traditional steel in many applications. Best for medium to heavy pallets with good strength and moderate flexibility.
- **Polypropylene (PP)** — Built for the toughest loads, steel strapping provides unmatched strength and rigidity. Ideal for heavy pallets and industrial shipments, especially in manufacturing, building materials, warehousing, and transportation industries. It ensures maximum safety and protection during transport. Best for heavy industrial loads with very high strength and low flexibility.

Strapping

Polyester (PET) Strapping

STRANFLEX® Elite + Performance Polyester Strapping offers high-performance load stability with excellent elongation and recovery.

Made from recycled PET, it delivers superior retained tension and impact resistance. It resists rust and corrosion, performs well under sun exposure, and reduces workplace injury risks due to its flexibility. A cost-effective alternative to steel strapping.



MADE FROM
RECYCLED PET

ELITE POLYESTER (PET) STRAPPING PRODUCTS

ITEM #	WIDTH	THICKNESS	BREAKING STRENGTH	COIL LENGTH	CORE SIZE	COIL WEIGHT	COLOR	STRAP FINISH	PACK
SFEPET12720029GE	1/2"	0.028"	800 lbs	7,200'	16" x 6"	50.4 lbs	Green	Embossed	24 cl/plt
SFEPET58460030GE	5/8"	0.030"	1,100 lbs	4,600'	16" x 6"	41.6 lbs	Green	Embossed	24 cl/plt
SFEPET58460030GS	5/8"	0.030"	1,100 lbs	4,600'	16" x 6"	47.9 lbs	Green	Smooth	24 cl/plt
SFEPET58400035GE*	5/8"	0.035"	1,200 lbs	4,000'	16" x 6"	45.22 lbs	Green	Embossed	24 cl/plt
SFEPET58400035GS*	5/8"	0.035"	1,400 lbs	4,000'	16" x 6"	49.0 lbs	Green	Smooth	24 cl/plt
SFEPET58400040GE*	5/8"	0.040"	1,600 lbs	4,000'	16" x 6"	49.1 lbs	Green	Embossed	24 cl/plt
SFEPET58400040GS*	5/8"	0.040"	1,600 lbs	4,000'	16" x 6"	55.5 lbs	Green	Smooth	24 cl/plt
SFEPET34300040GE*	3/4"	0.040"	1,900 lbs	3,000'	16" x 6"	46.0 lbs	Green	Embossed	24 cl/plt
SFEPET34240050GS	3/4"	0.050"	2,500 lbs	2,400'	16" x 6"	51.6 lbs	Green	Smooth	24 cl/plt
SFEPET114180040GS*	1 1/4"	0.040"	3,200 lbs	1,800'	16" x 6"	51.6 lbs	Green	Smooth	24 cl/plt
SFEPET114150050GS	1 1/4"	0.050"	4,000 lbs	1,500'	16" x 6"	53.6 lbs	Green	Smooth	24 cl/plt

* AAR Approved

PERFORMANCE POLYESTER (PET) STRAPPING PRODUCTS

ITEM #	WIDTH	THICKNESS	BREAK STRENGTH	COIL LENGTH	CORE SIZE	COIL WEIGHT	COLOR	STRAP FINISH	PACK
SFPPET34300040GE*	3/4"	0.040"	1,800 lbs	3,000'	16" x 6"	48 lbs	Green	Embossed	24 cl/plt
SFPPET34240050GE*	3/4"	0.050"	2,500 lbs	2,400'	16" x 6"	50 lbs	Green	Embossed	24 cl/plt
SFPPET58460030GE	5/8"	0.030"	1,100 lbs	4,600'	16" x 6"	48 lbs	Green	Embossed	24 cl/plt
SFPPET58400035GE*	5/8"	0.035"	1,400 lbs	4,000'	16" x 6"	47 lbs	Green	Embossed	24 cl/plt
SFPPET58400040GE*	5/8"	0.040"	1,600 lbs	4,000'	16" x 6"	48 lbs	Green	Embossed	24 cl/plt
SFPPET12850020GE	1/2"	0.020"	600 lbs	8,500'	16" x 6"	49 lbs	Green	Embossed	24 cl/plt
SFPPET12650028GE	1/2"	0.028"	820 lbs	6,500'	16" x 6"	48 lbs	Green	Embossed	24 cl/plt
SFPPET114180040BS*	1 1/4"	0.040"	3,000 lbs	1,800'	16" x 6"	49 lbs	Black	Smooth	24 cl/plt
SFPPET114150050BS*	1 1/4"	0.050"	4,000 lbs	1,500'	16" x 6"	49 lbs	Black	Smooth	24 cl/plt

* AAR Approved

Strapping

Polypropylene (PP) Strapping

STRANFLEX® Elite Polypropylene Strapping is designed for light to medium-duty applications with excellent elongation recovery and minimal strap cycle interruptions.

Made from virgin material, it ensures consistent break strength and smooth performance in both manual and automated systems. Coils are individually boxed. Made in the USA.



ELITE POLYPROPYLENE (PP) STRAPPING PRODUCTS

ITEM #	WIDTH	THICKNESS	BREAK STRENGTH	COIL LENGTH	CORE SIZE	COIL WEIGHT	COLOR	STRAP FINISH	PACK
SFEPP3812900350BE8	3/8"	0.021"	250 lbs	12,900'	8"x8"	22.5 lbs	Black	Embossed	30 cl/plt
SFEPP3812900250WE8	3/8"	0.024"	250 lbs	12,900'	8"x8"	22.5 lbs	White	Embossed	30 cl/plt
SFEPP129900350BE8	1/2"	0.0205"	350 lbs	9,900'	8"x8"	22.6 lbs	Black	Embossed	30 cl/plt
SFEPP1211000350BE16	1/2"	0.0205"	350 lbs	11,100'	16"x6"	25.12 lbs	Black	Embossed	24 cl/plt
SFEPP129900350WE8	1/2"	0.023"	350 lbs	9,900'	8"x8"	22.6 lbs	White	Embossed	30 cl/plt
SFEPP127200500BE16	1/2"	0.026"	500 lbs	7,200'	16"x6"	24.7 lbs	Black	Embossed	24 cl/plt
SFEPP127200500BE8	1/2"	0.028"	500 lbs	7,200'	8"x8"	23.7 lbs	Black	Embossed	30 cl/plt
SFEPP127500600BE16	1/2"	0.031"	600 lbs	7,500'	16"x6"	29.2 lbs	Black	Embossed	24 cl/plt



The STRANFLEX® Strapping Cart Standard Dispenser is built for fast, efficient strapping with polyester, polypropylene, and steel materials.

Its solid steel frame, patented brake system, and quick-load design ensure smooth operation and durability in high-demand environments. Made in the USA.

Item #SFPSTRAPCART; 1 each/box

- Disc Size: 16" x 6"
- Strap Width: Up to 3/4"
- Face Width: 3" – 8"
- Wheel Size: 10"
- For: Oscillated-wound strapping




STRETCH FILM

DETERMINE THE LOAD TYPE




TYPE A

Type A Loads are uniform in shape, fit to the proper pallet size, and have few film puncture points. These are the easiest to wrap.



TYPE B


Type B Loads are less uniform, perhaps with an irregular stack pattern, pallet overhang, and more film puncture points. These are more difficult to wrap.



TYPE C

Type C Loads are oddballs, with major differences between loads and many film puncture points. These loads can be very difficult to wrap.

EVALUATE THE EQUIPMENT



ENTRY LEVEL

Entry-Level Wrappers are the most basic of all stretch machines and depend on the spinning of the pallet to stretch the film as it is applied.



SEMI-AUTOMATIC

Semi-Auto Wrappers are intermediate machines operating at mid-speed. They are equipped with pre-stretch technology to provide improved load containment.



FULLY AUTOMATIC

Fully-Automatic Wrappers are high-speed, top-tier machines designed to quickly apply film to pallets in high-volume operations.

SELECTION GUIDE

CHOOSE A STARTING POINT

- **Identify which of the film categories could the best fit for your application.** Each category contains multiples sizes, thickness, and film characteristics to cover a broad range of industry needs.
- **Reference the chart below for a baseline as to where to begin your search.** The chart below shows the general linear progression of film quality directly related to machine quality. It also shows that while most Type A and B Loads are good fits for a STRANFLEX film, many Type B and C loads may require a special recommendation, specifically as the level of automation is increased.



	HAND-WRAPPING	ENTRY-LEVEL MACHINE	SEMI-AUTO/ FULL AUTO
TYPE A LOAD	Elite Pre-Stretch Hand Film	Performance Hand Film	Performance Machine Film
TYPE B LOAD	Elite Pre-Stretch Hand Film	Performance Hand Film	Performance Machine Film*
TYPE C LOAD*	Elite Pre-Stretch Hand Film*	Performance Hand Film*	Performance Machine Film*

* Needs further evaluation

UNCOVER OTHER FACTORS

- **Pallet Weight/Stability** are both important factors to understand. Although the load may look easy to wrap, a pallet with extreme min/max weights or an irregular center of gravity can be trickier to contain.
- **Product/Environment Specs** may call for some form of specialty film to be utilized. Examples of these are UVI (Ultra-Violet Inhibitor) films, or films with altered Coefficients of Friction for extra cling/slip.
- **Travel Distance/Route** could potentially alter the level of performance needed from a film to properly contain the load over long distances or when exposed to extreme physical forces during transit.
- **Containment Force** requirements will vary depending on multiple factors. However, a good industry baseline is allowing for 6lbs - 8lbs of containment force for every 600 pounds of pallet weight. Film gauge, stiffness, and quality all contribute to increased containment.

Stretch Film

Hand Banding Film

STRANFLEX® Performance Hand Banding Film is available in narrow widths and does not require excessive force to apply, making it a user-friendly option. It can be used as an extra layer of security before applying full pallet stretch film for extra stabilization.



GREAT FOR BUNDLING
SMALL ITEMS

PERFORMANCE HAND BANDING FILM PRODUCTS

ITEM #	GA	WIDTH	LENGTH	UOM	CASE COUNT	PALLET COUNT	BLOWN OR CAST	UOM WEIGHT
SFP119076	47	3"	1,000'	Case	18 rolls	128 cases	Cast	10.15 lbs
SFP119127	47	5"	1,000'	Case	12 rolls	112 cases	Cast	11.28 lbs
SFP203076	80	3"	1,000'	Case	18 rolls	104 cases	Cast	17.28 lbs
SFP203127	80	5"	1,000'	Case	12 rolls	91 cases	Cast	19.20 lbs
SFP203127.1	80	5"	1,000'	Case	12 rolls	104 cases	Cast	19.20 lbs

Stretch Film

Conventional Hand Film

STRANFLEX® Performance Conventional Hand Stretch Film is formulated with superior puncture properties to grasp and hold corners on loads. It is designed for manual application, and does not require specialized machinery.



IDEAL FOR PALLET
WRAPPING

PERFORMANCE CONVENTIONAL HAND FILM PRODUCTS

ITEM #	GA	WIDTH	LENGTH	UOM	CASE COUNT	PALLET COUNT	BLOWN OR CAST	UOM WEIGHT
SFP109405	43	16"	1,476'	Case	4 rolls	64 cases	Cast	16.24 lbs
SFP109445	43	17.7"	1,476'	Case	4 rolls	64 cases	Cast	17.96 lbs
SFP145457	57	18"	1,500'	Case	4 rolls	64 cases	Cast	24.62 lbs
SFP165405	65	16"	1,500'	Case	4 rolls	80 cases	Cast	24.96 lbs
SFP165457	65	18"	1,500'	Case	4 rolls	64 cases	Cast	28.08 lbs
SFP178380	70	15"	1,500'	Case	4 rolls	48 cases	Cast	25.20 lbs
SFP178457	70	18"	1,500'	Case	4 rolls	36 cases	Cast	30.20 lbs
SFP203457.C	80	18"	1,500'	Case	4 rolls	48 cases	Cast	34.56 lbs
SFP203457	80	18"	1,500'	Case	4 rolls	36 cases	Blown	34.60 lbs

Stretch Film

Pre-Stretch Hand Film

STRANFLEX® Elite Pre-Stretch Hand Film is formulated for optimal performance. Pre-stretched film can reduce film usage and offer increased wrapping speeds.

ELITE PRE-STRETCH HAND FILM PRODUCTS

ITEM #	GA	WIDTH	LENGTH	UOM	CASE COUNT	PALLET COUNT	BLOWN OR CAST	UOM WEIGHT
SFE061330	24	13"	2,000'	Roll	Bulk	132	Cast	2.59 lbs
SFE061380.BX	24	15"	1,500'	Case	4 rolls	36	Cast	8.48 lbs
SFE061380	24	15"	2,000'	Roll	Bulk	132	Cast	2.83 lbs
SFE061395	24	15.5"	2,000'	Roll	Bulk	180	Blown	2.98 lbs
SFE063380.BX	25	15"	1,476'	Case	4 rolls	36	Cast	8.86 lbs
SFE063380	25	15"	1,968'	Roll	Bulk	126	Cast	2.95 lbs
SFE063380.25	25	15"	2,500'	Roll	Bulk	126	Cast	3.75 lbs
SFE063430	25	17"	1,968'	Roll	Bulk	84	Cast	3.35 lbs
SFE074395	29	15.5"	2,000'	Roll	Bulk	132	Blown	3.60 lbs
SFE074445	29	17.5"	2,000'	Roll	Bulk	88	Blown	4.10 lbs
SFE076330	30	13"	1,968'	Roll	Bulk	126	Cast	3.07 lbs
SFE076380.BX	30	15"	1,476'	Case	4 rolls	36	Cast	10.63 lbs
SFE076380	30	15"	1,968'	Roll	Bulk	126	Cast	3.54 lbs
SFE081380	32	15"	2,000'	Roll	Bulk	132	Cast	3.72 lbs
SFE084380.BX	33	15"	1,476'	Case	4 rolls	36	Cast	11.68 lbs



* Replacement blade not included

The STRANFLEX® Hand Stretch Film Dispenser is a durable, ergonomic, metal dispenser designed for fast, controlled stretch film application. Adjustable from 12" to 20" for multiple core sizes (1.5", 2" & 3" cores) and operator preferences, it ensures efficient, consistent wrapping in demanding environments.

Item #SFEDISPSTRETCH; 1 each/box

The STRANFLEX® Stretch Film Cutter Plus Carton Opener is a compact, dual-purpose tool that delivers safe, clean stretch film cuts and quickly opens cartons. Built for heavy use, it combines efficiency, safety, and versatility for busy packaging operations. Blade is stainless steel.

Item #SFEFILMCUT; 12 each/box



Stretch Film

Machine Film

— ELITE —

STRANFLEX® Elite Machine Film can handle high speeds and forces of machinery. It has increased thickness and better puncture resistance. It offers greater efficiency and uniformity compared to hand wrapping pallets.



INCREASED
PUNCTURE
RESISTANCE



ELITE MACHINE FILM PRODUCTS

ITEM #	GA	WIDTH	LENGTH	UOM	CASE COUNT	PALLET COUNT	BLOWN OR CAST	UOM WEIGHT
SFE102500	40	19.7"	11,000'	Roll	Bulk	40 rolls	Cast	34.67 lbs
SFE115500	45	19.7"	10,000'	Roll	Bulk	40 rolls	Cast	35.46 lbs
SFE115500+60	45	19.7"	6,000'	Roll	Bulk	50 rolls	Cast	21.28 lbs
SFE120500	47	19.7"	10,000'	Roll	Bulk	40 rolls	Cast	37.04 lbs
SFE127500	50	19.7"	9,000'	Roll	Bulk	40 rolls	Cast	35.46 lbs
SFE140500	55	19.7"	8,000'	Roll	Bulk	40 rolls	Cast	34.70 lbs
SFE153500	60	19.7"	7,500'	Roll	Bulk	40 rolls	Cast	35.46 lbs
SFE178500	70	19.7"	6,500'	Roll	Bulk	40 rolls	Cast	35.85 lbs
SFE203500	80	19.7"	5,000'	Roll	Bulk	40 rolls	Cast	31.52 lbs
SFE229500	90	19.7"	5,000'	Roll	Bulk	40 rolls	Cast	35.46 lbs
SFE102750	40	29.5"	11,000'	Roll	Bulk	20 rolls	Cast	51.92 lbs
SFE115750	45	29.5"	10,000'	Roll	Bulk	20 rolls	Cast	53.10 lbs
SFE120750	47	29.5"	10,000'	Roll	Bulk	20 rolls	Cast	55.46 lbs
SFE127750	50	29.5"	9,000'	Roll	Bulk	20 rolls	Cast	53.10 lbs
SFE140750	55	29.5"	8,000'	Roll	Bulk	20 rolls	Cast	51.95 lbs
SFE153750	60	29.5"	7,500'	Roll	Bulk	20 rolls	Cast	53.10 lbs
SFE178750	70	29.5"	6,500'	Roll	Bulk	20 rolls	Cast	53.69 lbs
SFE203750	80	29.5"	5,000'	Roll	Bulk	20 rolls	Cast	47.20 lbs
SFE229750	90	29.5"	5,000'	Roll	Bulk	20 rolls	Cast	53.10 lbs

Stretch Film

Machine Film

— PERFORMANCE —

STRANFLEX® Performance Machine Film can handle high speeds and forces of machinery. It has increased thickness and better puncture resistance while delivering consistent application and strong load containment.



HIGH VOLUME,
HIGH SPEEDS



PERFORMANCE MACHINE FILM PRODUCTS

ITEM #	GA	WIDTH	LENGTH	UOM	CASE COUNT	PALLET COUNT	BLOWN OR CAST	UOM WEIGHT
SFP102500	40	19.7"	11,000'	Roll	Bulk	40 rolls	Cast	34.67 lbs
SFP115500	45	19.7"	10,000'	Roll	Bulk	40 rolls	Cast	35.46 lbs
SFP115500.60	45	19.7"	6,000'	Roll	Bulk	60 rolls	Cast	21.30 lbs
SFP127500	50	19.7"	9,000'	Roll	Bulk	40 rolls	Cast	35.46 lbs
SFP129500	51	19.7"	9,000'	Roll	Bulk	40 rolls	Cast	36.17 lbs
SFP137500	54	19.7"	8,000'	Roll	Bulk	40 rolls	Cast	34.00 lbs
SFP140500	55	19.7"	8,000'	Roll	Bulk	40 rolls	Cast	34.67 lbs
SFP140508	55	20"	8,000'	Roll	Bulk	40 rolls	Cast	35.20 lbs
SFP152500	60	19.7"	7,500'	Roll	Bulk	40 rolls	Cast	35.46 lbs
SFP160500	63	20"	5,000'	Roll	Bulk	50 rolls	Cast	25.20 lbs
SFP160501	63	19.7"	5,000'	Roll	Bulk	50 rolls	Cast	24.82 lbs
SFP160500.BX	63	20"	6,000'	Case	1 Case	40 rolls	Cast	30.20 lbs
SFP160500.60	63	20"	6,000'	Roll	Bulk	40 rolls	Cast	30.20 lbs
SFP160500.72	63	20"	7,250'	Roll	Bulk	40 rolls	Cast	36.50 lbs
SFP160500.75	63	19.7"	7,500'	Roll	Bulk	40 rolls	Cast	37.23 lbs
SFP203500	80	20"	5,000'	Roll	Bulk	40 rolls	Cast	32.00 lbs
SFP203501	80	19.7"	5,000'	Roll	Bulk	40 rolls	Cast	31.52 lbs
SFP203508	80	20"	5,000'	Roll	Bulk	40 rolls	Cast	32.00 lbs
SFP203500.60	80	20"	6,000'	Roll	Bulk	40 rolls	Cast	38.40 lbs
SFP203500.BX	80	20"	6,000'	Case	1 Case	40 rolls	Cast	38.40 lbs
SFP229500	90	20"	5,000'	Roll	Bulk	40 rolls	Cast	36.00 lbs
SFP305500	120	20"	4,000'	Roll	Bulk	40 rolls	Cast	38.40 lbs
SFP102750	40	29.5"	11,000'	Roll	Bulk	20 rolls	Cast	51.92 lbs
SFP115750	45	29.5"	10,000'	Roll	Bulk	20 rolls	Cast	53.10 lbs
SFP127750	50	29.5"	9,000'	Roll	Bulk	20 rolls	Cast	53.10 lbs
SFP140750	55	29.5"	8,000'	Roll	Bulk	20 rolls	Cast	51.92 lbs
SFP140762	55	30"	8,000'	Roll	Bulk	20 rolls	Cast	52.80 lbs
SFP152750	60	29.5"	7,500'	Roll	Bulk	20 rolls	Cast	53.10 lbs
SFP160750.75	63	29.5"	7,500'	Roll	Bulk	20 rolls	Cast	55.56 lbs
SFP178750	70	30"	6,000'	Roll	Bulk	20 rolls	Cast	50.40 lbs
SFP203750	80	30"	5,000'	Roll	Bulk	20 rolls	Cast	48.00 lbs
SFP229750	90	30"	5,000'	Roll	Bulk	20 rolls	Cast	54.00 lbs
SFP305750	120	30"	4,000'	Roll	Bulk	20 rolls	Cast	57.60 lbs

Stretch Film

prism Hand + Machine Film

STRANFLEX® prism Hand + Machine Film are a premium cast wrapping solution designed for enhanced load visibility, security, and ease of use. Engineered for superior stretch, puncture resistance, and cling, this film simplifies wrapping while supporting efficient inventory management through vibrant color-coding. Available in both tint and opaque options, it ensures quick load identification and tamper-evident protection.



PRISM HAND FILM PRODUCTS

ITEM #	GA	WIDTH	LENGTH	COLOR	UOM	CASE COUNT	PALLET COUNT	BLOWN OR CAST	UOM WEIGHT
SFP160457ORG	63	18"	1,500'	Orange Tint	Case	4 rolls	64 cases	Cast	27.21 lbs
SFP160457GRN	63	18"	1,500'	Green Tint	Case	4 rolls	64 cases	Cast	27.21 lbs
SFP160457BLU	63	18"	1,500'	Blue Tint	Case	4 rolls	64 cases	Cast	27.21 lbs
SFP160457YEL	63	18"	1,500'	Yellow Tint	Case	4 rolls	64 cases	Cast	27.21 lbs
SFP160457RED	63	18"	1,500'	Red Tint	Case	4 rolls	64 cases	Cast	27.21 lbs
SFP160457BLK	63	18"	1,500'	Black Opaque	Case	4 rolls	64 cases	Cast	27.21 lbs
SFP160457WHT	63	18"	1,500'	White Opaque	Case	4 rolls	64 cases	Cast	27.21 lbs

PRISM MACHINE FILM PRODUCTS

ITEM #	GAUGE	WIDTH	LENGTH	COLOR	UOM	CASE COUNT	PALLET COUNT	BLOWN OR CAST	UOM WEIGHT
SFP160500ORG	63	20"	5,000'	Orange Tint	Case	1 roll	40 cases	Cast	25.2 lbs
SFP160500GRN	63	20"	5,000'	Green Tint	Case	1 roll	40 cases	Cast	25.2 lbs
SFP160500BLU	63	20"	5,000'	Blue Tint	Case	1 roll	40 cases	Cast	25.2 lbs
SFP160500YEL	63	20"	5,000'	Yellow Tint	Case	1 roll	40 cases	Cast	25.2 lbs
SFP160500RED	63	20"	5,000'	Red Tint	Case	1 roll	40 cases	Cast	25.2 lbs
SFP160500BLK	63	20"	5,000'	Black Opaque	Case	1 roll	40 cases	Cast	25.2 lbs
SFP160500WHT	63	20"	5,000'	White Opaque	Case	1 roll	40 cases	Cast	25.2 lbs

Stretch Film revolve Machine Film

STRANFLEX® revolve Machine Film is a high-performance stretch film engineered for demanding packaging operations, combining durability, efficiency, and sustainability. Manufactured with 30% post-consumer recycled (PCR) content using advanced recycling technology, it delivers reliable load containment, excellent puncture resistance, and consistent 300% pre-stretch capability.



Less material is needed per pallet, reducing waste and overall carbon footprint without compromising on pallet stability or operational uptime.



CONTAINS 30%
PCR CONTENT

REVOLVE MACHINE STRETCH FILM PRODUCTS

ITEM #	GAUGE	WIDTH	LENGTH	PCR CONTENT	UOM	CASE COUNT	PALLET COUNT	BLOWN OR CAST	CASE WEIGHT
SFR125500PCR	49	19.7"	9,000'	30%	Roll	Bulk	40 cases	Cast	34.75 lbs
SFR125500.60PCR	49	19.7"	6,000'	30%	Roll	Bulk	50 cases	Cast	23.17 lbs
SFR150500PCR	59	19.7"	7,500'	30%	Roll	Bulk	40 cases	Cast	34.87 lbs
SFR150500.55PCR	59	19.7"	5,500'	30%	Roll	Bulk	50 cases	Cast	25.57 lbs
SFR175500PCR	69	19.7"	5,000'	30%	Roll	Bulk	50 cases	Cast	27.19 lbs

PARTNERING TO ACHIEVE YOUR SUSTAINABILITY GOALS



Your Dedicated "Green" Team

At BradyPLUS, you'll find a team of knowledgeable professionals ready to roll up their sleeves and work alongside you to achieve your sustainability goals.



Sustainable Solutions

GPS® Green Partner Support™ is a comprehensive approach to greening your operations that combines low environmental impact products, procedures, and consultative expertise.



eCommerce Green Picks

Our new and improved eCommerce platform includes Green Picks designations to guide you as you shop for more sustainable options.



TAPE SELECTION GUIDE

TYPES OF ADHESIVES

- Acrylic:** Acrylic tape is created by crosslinking monomers. It is either water- or solvent-based and is extremely resistant to degradation. Acrylic has a low shear (strength) but can be used in extreme temperatures (think freezer storage or warehouses without temperature control), can withstand no-to-high humidity, is UV resistant, and has an exceptional shelf life compared to hot melt tape. Acrylic tape may not be as durable as hot melt tape on the forefront, but it has some serious benefits depending on your application needs.
- Hot Melt:** Hot melt tape, made from a polymer by combining resin and wax, is versatile and has a superior hold. This product is effective on difficult surfaces, fast to tack, easy to apply, and adheres to most packaging materials (cardboard, a recycled bubble mailer, and much more). Although hot melt tape is strong, it doesn't fare well in unstable or extreme climate conditions, and it will deteriorate and discolor over time, especially when exposed to UV light, so it's not ideal for long-term storage.
- Water-Activated:** Water-activated tape is starch-based, made from synthetic fibers, and typically used for corrugated packaging materials. It's environmentally friendly and tamper-evident (useful to help tell if a package has been opened.)

CHARACTERISTICS OF EACH TYPE OF TAPE

TAPE TYPE	BEST FOR	KEY STRENGTH	TEMPERATURE RESISTANCE	SUSTAINABILITY	OTHER CHARACTERISTICS
ACRYLIC TAPE	Long-term storage & varying climates	Crystal-clear, long-lasting seal	Excellent (cold & heat resistant)	Moderate	UV & humidity resistant
FILAMENT TAPE	Heavy-duty bundling & strapping	Reinforced tensile strength	Good	Low	Good for industrial applications
HOT MELT TAPE	High-speed carton sealing	Instant adhesion & strength	Limited (best at room temp)	Moderate	Easy to apply; higher shear
MASKING TAPE	Surface protection & light-duty tasks	Easy application & removal	Moderate	Low-Moderate	Good for finishing work
WATER ACTIVATED (WAT) TAPE	Secure, tamper-evident carton sealing	Superior bond, eco-friendly	Excellent	High (paper-based recyclable)	Higher shear; humidity resistant

Tape

Acrylic Tape

— ELITE —

STRANFLEX® Elite Clear Acrylic Tape is a high-performance packaging solution crafted with durable BOPP film and a pressure-sensitive, water-based acrylic adhesive.

Engineered for clarity and long-lasting adhesion, it's ideal for applications requiring visibility, strength, and reliability across a wide temperature range.

Whether you're sealing cartons in a cold warehouse or a warm distribution center, this tape delivers consistent, professional results.



LONG-LASTING ADHESION

ELITE ACRYLIC TAPE PRODUCTS

ITEM #	TAPE SIZE	THICKNESS	COLOR	CASE PACK	PALLET PACK
SFE4810016A	48 mm x 100 m	1.6 mil	Clear	36 rls/cs	105 cs/plt
SFE7210016A	72 mm x 100 m			24 rls/cs	105 cs/plt
SFE4810018A	48 mm x 100 m			36 rls/cs	105 cs/plt
SFE7210018A	72 mm x 100 m			24 rls/cs	105 cs/plt
SFE4810020A	48 mm x 100 m			36 rls/cs	105 cs/plt
SFE7210020A	72 mm x 100 m			24 rls/cs	105 cs/plt
SFE4891420A	48 mm x 914 m			6 rls/cs	72 cs/plt
SFE7291420A	72 mm x 914 m			4 rls/cs	72 cs/plt
SFE48137120A	48 mm x 1,371 m			6 rls/cs	72 cs/plt
SFE72137120A	72 mm x 1,371 m			4 rls/cs	72 cs/plt
SFE4810025A	48 mm x 100 m	2.5 mil		36 rls/cs	105 cs/plt

Tape

Acrylic Tape

— PERFORMANCE —

STRANFLEX® Performance Clear Acrylic Tape is a high-quality, pressure-sensitive packaging tape designed for consistent, long-term adhesion in a wide range of environments.

Constructed with durable BOPP film and a water-based acrylic adhesive, it delivers excellent clarity, strong bonding to corrugated surfaces, and dependable performance in both hot and cold conditions.

Ideal for high-volume operations, it ensures secure seals without the need for heat, moisture, or solvents—making it a versatile and cost-effective choice for everyday carton sealing.



DURABLE IN EXTREME ENVIRONMENTS

PERFORMANCE ACRYLIC TAPE PRODUCTS

ITEM #	TAPE SIZE	THICKNESS	COLOR	CASE PACK	PALLET PACK
SFP4810016A	48 mm x 100 m	1.6 mil	Clear	36 rls/cs	105 cs/plt
SFP7210016A	72 mm x 100 m			24 rls/cs	105 cs/plt
SFP4810018A	48 mm x 100 m			36 rls/cs	105 cs/plt
SFP7210018A	72 mm x 100 m			24 rls/cs	105 cs/plt
SFP4810020A	48 mm x 100 m			36 rls/cs	105 cs/plt
SFP7210020A	72 mm x 100 m			24 rls/cs	105 cs/plt
SFP4891420A	48 mm x 914 m			6 rls/cs	84 cs/plt
SFP7291420A	72 mm x 914 m			4 rls/cs	84 cs/plt
SFP48137120A	48 mm x 1,371 m			6 rls/cs	72 cs/plt
SFP72137120A	72 mm x 1,371 m			4 rls/cs	72 cs/plt
SFP4810025A	48 mm x 100 m	2.5 mil		36 rls/cs	105 cs/plt

Tape

Filament Tape

STRANFLEX® Elite + Performance Filament Tape are reliable and durable tape reinforced with fiberglass filaments and backed with a durable polypropylene film.

Meant for demanding industrial applications where holding strength is essential. The Elite tape features a solventless synthetic rubber/resin adhesive, whereas the Performance tape uses high-tack synthetic rubber adhesive.



STRONG ADHESION



IDEAL FOR INDUSTRIAL APPLICATIONS

ELITE FILAMENT TAPE PRODUCTS

ITEM #	TAPE SIZE	TENSILE STRENGTH	COLOR	CASE PACK	PALLET PACK
SFE095510F	9 mm x 55 m	100 lbs/in	Clear	96 rls/cs	64 cs/plt
SFE125510F	12 mm x 55 m			72 rls/cs	64 cs/plt
SFE185510F	18 mm x 55 m			48 rls/cs	64 cs/plt
SFE245510F	24 mm x 55 m			36 rls/cs	64 cs/plt
SFE365510F	36 mm x 55 m			24 rls/cs	64 cs/plt

PERFORMANCE FILAMENT TAPE PRODUCTS

ITEM #	TAPE SIZE	TENSILE STRENGTH	COLOR	CASE PACK	PALLET PACK
SFP095510F	9 mm x 55 m	112 lbs/in	Clear	96 rls/cs	128 cs/plt
SFP125510F	12 mm x 55 m			72 rls/cs	128 cs/plt
SFP185510F	18 mm x 55 m			48 rls/cs	128 cs/plt
SFP245510F	24 mm x 55 m			36 rls/cs	128 cs/plt
SFP365510F	36 mm x 55 m			24 rls/cs	128 cs/plt

Tape

Hot Melt Tape

— ELITE —

STRANFLEX® Elite Clear Hot Melt Tape is a high-performance packaging tape engineered for speed, strength, and reliability.

Constructed with durable film and a powerful hot melt adhesive, it delivers instant tack and superior holding power on a wide range of corrugated surfaces.

Whether used manually or in high-speed automated systems, this tape ensures smooth application, strong seals, and dependable performance in demanding shipping environments.



HEAVY-DUTY
STRENGTH

ELITE HOT MELT TAPE PRODUCTS

ITEM #	TAPE SIZE	THICKNESS	COLOR	CASE PACK	PALLET PACK
SFE4810016H	48 mm x 100 m	1.6 mil	Clear	36 rls/cs	60 cs/plt
SFE7210016H	72 mm x 100 m			24 rls/cs	60 cs/plt
SFE4891416H	48 mm x 914 m			6 rls/cs	48 cs/plt
SFE7291416H	72 mm x 914 m			4 rls/cs	48 cs/plt
SFE485018H	48 mm x 50 m	1.85 mil	Clear	36 rls/cs	72 cs/plt
SFE4810018H	48 mm x 100 m			36 rls/cs	60 cs/plt
SFE7210018H	72 mm x 100 m			24 rls/cs	60 cs/plt
SFE4891418H	48 mm x 914 m			6 rls/cs	48 cs/plt
SFE7291418H	72 mm x 914 m	1.95 mil	Clear	4 rls/cs	48 cs/plt
SFE48150018H	48 mm x 1,500 m			6 rls/cs	36 cs/plt
SFE72150018H	72 mm x 1,500 m			4 rls/cs	36 cs/plt
SFE48137118H	48 mm x 1,371 m			6 rls/cs	36 cs/plt
SFE4810020H	48 mm x 100 m	1.95 mil	Clear	36 rls/cs	60 cs/plt
SFE7210020H	72 mm x 100 m			24 rls/cs	60 cs/plt
SFE4891420H	48 mm x 914 m			6 rls/cs	48 cs/plt
SFE7291420H	72 mm x 914 m			4 rls/cs	48 cs/plt

Tape

Hot Melt Tape

— PERFORMANCE —

STRANFLEX® Performance Clear Hot Melt Tape is a durable, pressure-sensitive packaging solution designed for fast, secure carton sealing in high-demand environments.

Built with tough BOPP film and a high-quality hot melt adhesive, it delivers instant tack, strong adhesion, and dependable performance — even under extreme temperature and pressure conditions.

Ideal for general-purpose use, it's a cost-effective choice for fast-paced packaging operations.



DEPENDABLE
PERFORMANCE

PERFORMANCE HOT MELT TAPE PRODUCTS

ITEM #	TAPE SIZE	THICKNESS	COLOR	CASE PACK	PALLET PACK
SFP4810016H	48 mm x 100 m	1.6 mil	Clear	36 rls/cs	105 cs/plt
SFP7210016H	72 mm x 100 m			24 rls/cs	105 cs/plt
SFP4891416H	48 mm x 914 m			6 rls/cs	84 cs/plt
SFP7291416H	72 mm x 914 m			4 rls/cs	84 cs/plt
SFP485018H	48 mm x 50 m	1.8 mil	Clear	36 rls/cs	105 cs/plt
SFP4810018H	48 mm x 100 m			36 rls/cs	105 cs/plt
SFP7210018H	72 mm x 100 m			24 rls/cs	105 cs/plt
SFP4891418H	48 mm x 914 m			6 rls/cs	84 cs/plt
SFP7291418H	72 mm x 914 m	2.0 mil	Clear	4 rls/cs	84 cs/plt
SFP48150018H	48 mm x 1,500 m			6 rls/cs	63 cs/plt
SFP72150018H	72 mm x 1,500 m			4 rls/cs	63 cs/plt
SFP48137118H	48 mm x 1,371 m			6 rls/cs	72 cs/plt
SFP4810020H	48 mm x 100 m	2.0 mil	Clear	36 rls/cs	105 cs/plt
SFP7210020H	72 mm x 100 m			24 rls/cs	105 cs/plt
SFP4891420H	48 mm x 914 m			6 rls/cs	72 cs/plt
SFP7291420H	72 mm x 914 m			4 rls/cs	72 cs/plt


Tape Masking Tape

STRANFLEX® Elite + Performance Masking Tape are a crepe paper tape with reliable adhesion and clean removal across a variety of surfaces.

They perfect for general-purpose masking, bundling, and surface protection.



EASY TO APPLY



ELITE MASKING TAPE PRODUCTS

ITEM #	TAPE SIZE	THICKNESS	COLOR	CASE PACK	PALLET PACK
SFE485550M	48 mm x 55 m	5.0 mil	Natural	36 rls/cs	48 cs/plt

PERFORMANCE MASKING TAPE PRODUCTS

ITEM #	TAPE SIZE	THICKNESS	COLOR	CASE PACK	PALLET PACK
SFP485550M	48 mm x 55 m	5.0 mil	Natural	24 rls/cs	112 cs/plt

TAPE TERMINOLOGY

- **Backing/Carrier** — The material that is on the outside of the tape; usually made from paper, cloth, plastic, or rubber.
- **Tack** — The initial stickiness of the adhesive part of the tape. It explains how quickly your tape will bond to the application material.
- **Cohesion** — The substance that makes up the adhesive and holds it together and creates the stickiness of your tape.
- **Adhesion** — The bond between your tape and the surface of the application. Tack and cohesion provide short-term reversible bonding, while cohesion and adhesion create a more permanent bond. Adhesion and tack produce a quick-stick type of bond. All three processes determine how well your tape adheres to any surface and for how long.
- **Shear** — The 'holding power' of your tape. It is measured by the time required for a certain amount of weight to cause the tape to come loose from a vertical plane. The better the shear of a tape, the longer it will hold up.

Tape

Water Activated (WAT) Tape

— ELITE & PERFORMANCE —

STRANFLEX® Elite + Performance Water Activated Tape are reinforced kraft paper tape for dependable carton sealing when extra strength is needed.

With a water-activated adhesive that penetrates carton fibers to form a permanent, tamper-evident bond, it delivers superior durability, load integrity, and environmental performance—even in extreme conditions.



ELITE WATER ACTIVATED TAPE PRODUCTS

ITEM #	TAPE SIZE	THICKNESS	COLOR	CASE PACK	PALLET PACK
SFE7045053W	70 mm x 450 ft	5.3 mil	Natural	10 rls/cs	63 cs/plt
SFE7045053WW			White	10 rls/cs	63 cs/plt
SFE7245055W 	72 mm x 450 ft	5.5 mil	Natural	10 rls/cs	63 cs/plt
SFE7245055WW			White	10 rls/cs	63 cs/plt

PERFORMANCE WATER ACTIVATED TAPE PRODUCTS

ITEM #	TAPE SIZE	THICKNESS	COLOR	CASE PACK	PALLET PACK
SFP7045053W 	70 mm x 450 ft	5.3 mil	Natural	10 rls/cs	72 cs/plt
SFP7045053WW			White	10 rls/cs	72 cs/plt
SFP7045058W		5.8 mil	Natural	10 rls/cs	72 cs/plt
SFP7045058WW			White	10 rls/cs	72 cs/plt

Tape Dispensers



STRANFLEX® Economy Pistol Grip Tape Dispensers feature an ergonomic design for comfortable use, smooth tape application, and a natural rubber roller with an adjustable brake for customized tension control.

Item #SFPTD2ECO: Compatible with 2" tape width;
24 pieces/case

Item #SFPTD3ECO: Compatible with 3" tape width;
12 pieces/case



STRANFLEX® Deluxe Pistol Grip Tape Dispensers feature a retractable blade for enhanced safety, an adjustable brake for tailored tension, and natural rubber roller for consistent application.

Item #SFPTD2DLX: Compatible with 2" tape width;
24 pieces/case

Item #SFPTD3DLX: Compatible with 3" tape width;
20 pieces/case



STRANFLEX® Mousetrap Pistol Grip Tape Dispensers

The 2" Mousetrap dispenser offers easy, one-handed tape application with adjustable tension for precise control. Durable and lightweight, it's perfect for quick, efficient packaging in any setting.

Item #SFPTD2MT: Compatible with 2" tape width;
40 pieces/case

The 3" Mousetrap dispenser provides smooth, reliable tape dispensing for larger tape rolls. Its ergonomic design and adjustable tension make it ideal for heavy-duty packaging tasks, boosting efficiency and comfort.

Item #SFPTD3MT: Compatible with 3" tape width;
24 pieces/case

For use with 3" core tapes

READY TO ELEVATE YOUR PACKAGING GAME?

Go to STRANFLEX.com today to learn more about our exclusive product range and discover how we can help you achieve your packaging goals.



RELIABLE + HIGH-QUALITY

STRANFLEX products are crafted using premium materials and cutting-edge manufacturing techniques to ensure maximum strength, durability, and performance. From heavy-duty industrial applications to delicate consumer goods, STRANFLEX delivers consistent and dependable results every time.



ECO-FRIENDLY OPTIONS

Commit to sustainability with STRANFLEX. Eco-friendly solutions designed to minimize environmental impact without sacrificing product performance. Join us in our mission to promote greener packaging solutions for a better tomorrow.



EXCEPTIONAL CUSTOMER SUPPORT

Our commitment to excellence extends beyond our products. STRANFLEX offers unparalleled customer support, from initial consultation to after-sales service. Our dedicated team is always ready to assist you with expert advice, technical support, and tailored solutions to meet your unique packaging needs.

SUPPLIES + SUPPORT

We are a leading specialized distributor and solution provider focused on JanSan, foodservice, and industrial packaging. We are driven to make customers more successful and operations more sustainable and more productive.

We offer Supplies PLUS Support: Premium brands, expert advice, and exceptional customer experiences. Our 6,000 associates have a passion for delivering innovative solutions for the business challenges of today and tomorrow.

Together, we serve thousands of customers nationwide in end markets, including agriculture, automotive, building materials, consumer packaged goods, eCommerce, retail, food packaging & processing, 3PL & industrial, and manufacturing.

For more information on BradyPLUS, visit BradyPLUS.com

PKE-IND-SF0068 v1 01-2026