





The KleenLine[™] Pro 12UE Upright Vacuum was designed to deliver performance, durability, and value to your facility maintenance program on every conceivable level.

Product Features

- » Performance A 1.7 HP vacuum motor and 3-stage HEPA filtration.
- » Proper Ergonomics Adjustable handle height, ergonomic grip, transport handle and foam grip high up cleaning tube.
- » Intuitive Use All the important touch points are colored yellow and the patented WAVE-LOK[®] filter bag and alignment mechanism assures the filter bag is securely installed every time.
- » LEED 0+M Compliance CRI Gold Level Seal of Approval/Green Label Certified. Operates at a sound level of 67 dB in accordance with ISO 11201. Meets all requirements of the LEED 0+M Green Building Rating System.
- » Ease of Maintenance No tools required to replace brush or cord. Full bag indicator light. Thermally protected motor. Mechanical clutch protects brush and belt, if jammed. Patented WAVE-LOK[®] filter bag and alignment mechanism allows for easy bag removal, even if overfilled.
- » Versatility Low profile for easy vacuuming underneath furniture and fixtures. Extension wand reaches over 10' above the floor. 3" round brush and 10" crevice tool with onboard storage.

Sustainable Benefits

» CRI Gold Level Seal of Approval/Green Label Certified.

Complementary items

- » KleenLine Pro 12UE 100-Hour HEPA Filtration Kit includes: 2-Ply WAVE-LOK[®] Microfiltration Bags (10 pack), Motor Filter and HEPA Filter: 588575 kit
- » WAVE-LOK® Microfiltration Bag Refills (10 pack): 574721 pack



1	Enclosed handle allows for a relaxed grip during operation.
2	Built-in extension hose and wand make above-the-floor cleaning a snap.
3	Patented WAVE-LOK [®] ensures secure bag installation every time. WAVE-LOK also ensures easy bag removal, even if overfilled.
4	Brush adjustment dial on the base allows for instant carpet pile adjustments.
6	Chevron-style brush is built for tough commercial use, and is easily removed for replacement.
6	Shock-absorbing wheels keep the vacuum quiet on rough surfaces.
7	The handle is adjustable for different height operators.
8	"Pig tail" type cord connection makes changing power cord easy.
9	A mechanical clutch protects the drive belt from breaking if the brush gets jammed.

PRODUCT SPECIFICATIONS			
Brand	KleenLine [™] Pro		
Brush	Chevron style brush		
Motor/Type/Air Flow/Waterlift	2-stage, 10 amps @ 120V/1.7 HP (1260 watts)/Maximum 100 CFM (47 l/sec)/92"		
Filtration	3-stage –Top-filled, two-ply poly-lined filter bag, motor filter, and HEPA exhaust filter		
Switches & Controls	Rocker on/off switch and bag full indicator light		
Cord	40' (12 m) 16-3 SJT safety yellow, also available 25' cord (12 H)		
Construction	Composite polypropylene body/base		
Bag Capacity	5.0 quarts dry (5.5 I)		
Cleaning Path	12" (30 cm)		
Sound Level	67 dB (ISO 11201)		
Total Vibration	1.96 m/s ² (ISO 5349-1)		
Dimensions Height/Width/ Weight	48.75" (125 cm) H x 12.5" (32 cm) 19 lbs (8.6 kg)		
Shipping Weight	23 lbs (10.4 kg) max		
Warranty	2 years, including belt, excluding wear items		
Productivity	2,239 sq ft per hour (208 m ²)		











The patented WAVE-LOK[®] filter bag and alignment mechanism ensures secure bag installation every time. WAVE-LOK eliminates dirt and dust leakage due to improper bag installation. WAVE-LOK also ensures easy bag removal, even if overfilled.



SUPPLIES + SUPPORT

We are a leading specialized distributor and solution provider focused on JanS We are driven to make customers more successful and operations more susta

We offer Supplies PLUS Support: Premium brands, expert advice, and exception associates have a passion for delivering innovative solutions for the business of the business of

Together, we serve thousands of customers nationwide in end markets, including education, government, healthcare, hospitality, restaurants, building services, food packaging & processing, and grocery.

For more information on BradyPLUS, visit BradyPLUS.com



BradyPLUS

Exclusively available through BradyPLUS and our Regional Distribution Brands BradyPLUS.com + (877) 788-PLUS

© 2024 BradyPLUS