



REINVENT HOW THE WORLD CLEANS



# i-mop<sup>®</sup> Lite i-mop<sup>®</sup> XL Plus i-mop<sup>®</sup> XXL Plus

## Walk-Behind Scrubbers

The maneuverability of a mop with the cleaning performance of a walk-behind floor scrubber. The i-mop family makes it possible to clean any floor surface with freedom of movement and great ease of use.

### Available technologies



Lithium-Ion batteries

# Inside the i-mop Lite

- 1. Simple intuitive controls** make it easy to operate and train.
- 2. Detachable tanks** make it easy to replace or change cleaning solution on the fly or empty recovery water in a sink offering very little down time.
- 3. Powerful 500 RPM motors** offer up to twice the speed of many conventional disk scrubbers.
- 4. Heavy-duty hinge for 360° steering,** making it highly maneuverable in small spaces around obstacles and under furniture.
- 5. Angle shutoff** automatically stops operation when the handle is placed below 32 degrees, helping prevent potential damage to the vacuum motor.
- 6. Rechargeable modular battery packs** for continuous run-time by swapping out and recharging with an extra set of batteries (single battery included, spare sold separately)
- 7. Counter rotating twin brushes with splash guards** push solution toward the center rather than splashing off to the side of the machine.



## Mobile and Accessible Cleaning

Lightweight with a minimal footprint, making it easy to pick up, carry, store and use. Wheels make it easy to push when not being operated.



## Maneuverable Design

Easily clean in tight spaces with 360° movement. Park when needed with the stop and go parking stand.



## Clean Efficiently

With Lithium-Ion battery technology, clean 15,069 ft<sup>2</sup> / 1,400 m<sup>2</sup> hourly with a run time of 45 minutes per charge.

# Inside the i-mop XL Plus & i-mop XXL Plus

- 1. Simple intuitive controls** make it easy to operate and train.
- 2. Detachable tanks** make it easy to replace or change cleaning solution on the fly or empty recovery water in any sink offering very little down time.
- 3. Rechargeable modular battery packs** for continuous run-time by swapping out and recharging with an extra set of batteries.
- 4. Heavy-duty hinge for 360° steering**, highly maneuverable in small spaces around obstacles and under furniture.
- 5. Low profile & folding design** fits under furniture and counters and gets into tight spaces. Deck folds for narrow storage.
- 6. Counter rotating twin brushes** push solution toward the center rather than splashing off to the side of the machine.
- 7. Powerful 350 RPM motors** offer up to twice the speed of many conventional disk scrubbers.
- 8. Floating ball system** prevents water from overflowing to protect the vacuum motor.
- 9. Automatic 32° angle shut off** protects the motor from water damage.



## Quick Change Squeegee

Easy to change squeegee assembly allows for quick daily cleaning or simple routine maintenance of the squeegee blades.



## Store & Transport With Ease

Battery safe guard ensures the i-mop stays off when in storage mode preventing the battery from draining. Wheels make transporting easy between different areas, levels and buildings.



## i-balance Support System

Spring balancing mechanism reduces the weight on the operator and reduces the chances of the machine falling

# i-mop specifications

FEATURE	SPECIFICATIONS		
	i-mop Lite	i-mop XL Plus	i-mop XXL Plus
Cleaning Path	14.5 in / 368 mm	18.1 in / 460 mm	24.4 in / 620 mm
Productivity Theoretical Max (per hour)	15,069 ft <sup>2</sup> / 1,400 m <sup>2</sup>	19,375 ft <sup>2</sup> / 1,800 m <sup>2</sup>	24,750 ft <sup>2</sup> / 2,300 m <sup>2</sup>
Brush Diameter	7.09 in / 180 mm	8.90 in / 226 mm	11.81 in / 300 mm
Pad Diameter	7.09 in / 180 mm	8.46 in / 215 mm	10.63 in / 270 mm
Brush RPM	500	350	350
Brush/Pad Pressure	28.6 lbs / 13 kg	48.4 lbs / 22.5 kg	70.4 lbs / 32 kg
Solution Tank Capacity	.79 gal / 3 L	1 gal / 4 L	1.25 gal / 5 L
Recovery Tank Capacity	1.06 gal / 4 L	1.5 gal / 6 L	2 gal / 8 L
Battery Run time (100% charge) [minutes - up to]	45	70	70
Battery Charge Time (100% charge) [up to hours*]	3.5	5	1.5
Battery Run Time (one hour charging time)	30 mins	60 mins	45 mins
Battery Voltage	18.0 V (12 AH)	24.2V (8.8 Ah)	25.2V (14Ah)
LxWxH (upright)	13.4 x 16.9 x 47.2 in / 340 x 430 x 1,200 mm	13.8 x 18.9 x 47.2 in / 350.5 x 480 x 1,199 mm	14.2 x 26.8 x 50 in / 361 x 680 x 1,270 mm
Weight (with battery and water)	36.38 lbs / 16.5 kg	58.9 lbs / 26.7 kg	79.6 lbs / 36.1 kg
Sound Level (operator's ear)**	68 dB	79.6 dB	79.6 dB

Specifications subject to change without notice.

## Tennant – Reinvent how the world cleans

With a vision to become a global leader in sustainable cleaning innovation that empowers our customers to create a cleaner, safer and healthier world, Tennant creates solutions that are changing the way the world cleans.



### We are where you are

Tennant has the industry's largest direct sales and service organization and a well-supported network of authorized distributors worldwide.



### Solutions for your unique needs

Whatever your cleaning needs, Tennant offers a variety of high quality equipment to help you increase your cleaning productivity.



### Buying, leasing, renting

We offer flexible options to get you the machines you need, however you need them.



### TennantTrue®

Optimize equipment performance and protect your investment with TennantTrue® parts and service.

For a demonstration or additional information, call **+1.800.553.8033** or email **info@tennantco.com**

i-mop-family-brochure-en-noam 2/23

©2023 The Tennant Company logo and other trademarks designated with the symbol "®" are trademarks of Tennant Company registered in the United States and/or other countries. Tennant Company's products are sold and serviced through subsidiaries of Tennant Company and distributors. All rights reserved.

BrainOS® is a registered trademark of Brain Corp.

### Tennant Company

10400 Clean Street  
Eden Prairie, MN 55344-2650, USA

USA/Canada: +1.800.553.8033

Quebec: +1.800.361.9050

Overseas: +1.763.540.1315

www.tennantco.com | info@tennantco.com