



WAREWASH SOLUTIONS

FEATURING KLEENLINE™ PRO PRODUCTS + PROWASH SERVICE

 **Brady**PLUS



Warewash Solutions

Quality Products + Industry's Best Service

BradyPLUS offers comprehensive warewash programs designed to provide customers consistency, quality, and safety at competitive rates. Our programs include a range of high-quality cleaning chemicals and dispensing systems, including our exclusive KleenLine™ Pro brand.

We go beyond just selling products. Our BradyPLUS ProWASH service experts are trained warewash specialists who work closely with you to ensure your team and program achieve ongoing success.



No Freight Charges
Product In Stock Locally
Next Day Deliveries



Easy Online Ordering
Shopping Lists
Controls and Approvals



Bundle Your Supplies
JanSan, PPE, Liners,
Packaging, More...

BradyPLUS ProWASH Service

Consistent, Competent, Compliant

BradyPLUS ProWASH technicians are not commissioned Sales Representatives. Their focus is customer satisfaction, ongoing program success, and the property's best interests. The BradyPLUS ProWASH service model saves customers money by drastically reducing overuse/consumption, repetitive products with the same cleaning function, and the exposure to misuse of multiple chemicals.

The BradyPLUS ProWASH Division support includes:

- + Dedicated, highly-trained warewash specialists and technicians
- + 24/7 technical and emergency support
- + Weekly scheduled audits, Electronic audit reporting
- + Equipment planning and installation
- + Modern system reporting and monitoring capabilities
- + Unlimited employee training (In-person and Online)
- + Literature, wall charts and testing materials





KleenLine™ Pro MAX-3X products are designed to provide superior results over traditional chemicals, along with added employee safety and reduced packaging waste.

Three Key Benefits of KleenLine™ Pro MAX-3X

LESS INVENTORY = MORE STORAGE

1

Thanks to MAX-3X's concentrated formulas, each 1 gallon container is equal to 3 gallons of traditional chemical. The concentrated formulas and small packaging will allow you to stock less product than with your traditional chemical, freeing up storage room space.



OFF THE FLOOR = MORE FLOOR SPACE

2

While in use, MAX-3X products are not on your kitchen floor. The bottles hang on secure hooks, freeing up valuable floor space in your kitchen.



TAMPER RESISTANT = SAFER = COST SAVINGS

3

MAX-3X bottles are safer to use! The closed-loop system prevents spills, abuse, and accidents during product replacements. Products can only be dispensed when the proprietary dispensing cap is engaged, eliminating the risk of injury. Additional MAX-3X closed loop containers are more cost effective because employees can't free pour and overuse chemicals.



Dish Machine Products

KleenLine™ Pro MAX-3X Mechanical Detergent



Concentrated heavy-duty nonchlorinated all temperature machine warewashing detergent. Optimized for water conditioning, soil suspension and rinse ability, it delivers superior dish cleaning power.

1 Gallon, 2/cs KL-WWMD2

KleenLine™ Pro MAX-3X Heavy Duty Dish Machine Detergent



Use in both Low and High Temperature Dish Machines – Chlorine free, high alkaline, high performance detergent blended with superior water conditioners and soil suspending agents that remove the most difficult soils & grease; even in extreme hard water conditions.

1 Gallon, 2/cs KL-WWMD4

KleenLine™ Pro MAX-3X Mechanical Rinse-Aid



Concentrated rinse additive delivers rapid sheeting for spot free drying in both low and high temperature dish machines. Low foaming surfactant formula delivers superior drying performance.

1 Gallon, 2/cs KL-WWRA2

KleenLine™ Pro MAX-3X Heavy Duty Dish Machine Rinse-Aid



Premium specialty rinse additive formulated to control high levels of water hardness and total dissolved solids (TDS) in difficult water conditions.

1 Gallon, 2/cs KL-WWRA3

Betco Low Temp Machine Chlorine Sanitizer



EPA registered sodium hypochlorite based sanitizer for use in low temperature and low energy dishmachines. It sanitizes ware and aids in stain and protein soil removal on plastic, china, and tableware in the wash cycle.

1 Gallon, 2/cs WWSA4



Three Compartment Sink Products

KleenLine™ Pro MAX-3X Manual Pot & Pan Detergent



Economical dishwashing detergent specially designed for industrial, institutional and restaurant use. It produces an abundance of long lasting suds, works quickly and leaves surfaces spot and film free.

1 Gallon, 2/cs KL-WWDS1

Betco Sanibet Multi-Range Quat Sanitizer



NSF International Certified and EPA approved broad range sanitizer. Multi-Range Sanibet™ kills 99.99% of food service organisms Listeria, E-Coli, and Salmonella. A versatile product, it can be used to sanitize serving ware, utensils, pots & pans, and food processing equipment.

1 Gallon, 2/cs WWSA3

KleenLine™ Pro MAX-3X Liquid Pre-Soak



This double-duty product is an effective presoak for softening food soils on flatware prior to machine processing. It helps remove egg yolk, cheese, dried ketchup and other sticky food residues, ensuring one-wash clean ware.

1 Gallon, 2/cs KL-WWPR1

KleenLine™ Pro MAX-3X Heavy Duty Manual Pot & Pan Detergent



Cuts through baked-on food and grease. Ultra concentrated. Utilizes the best surfactants and rinses quickly and easily. Effective on grease and fat, yet gentle on the hands.

1 Gallon, 2/cs KL-WWDS9



Floor Cleaners

KleenLine™ Pro MAX-3X All-Purpose Degreaser



A heavy-duty degreaser specifically formulated to instantly dissolve the greasy, oily soils found in commercial kitchens. This ultra concentrated fast acting product delivers unbeatable performance & true economy.

1 Gallon, 2/cs KL-WWMI2

KleenLine™ Pro MAX-3X Enzyme Enhanced Floor Cleaner



Uniquely formulated with detergents, emulsifiers, builders and proprietary bioactive non-pathogenic bacteria that digest complex proteins starches and fats. Product continues to work even when the floor is dry.

1 Gallon, 2/cs KL-WWFC1

KleenLine™ Pro MAX-3X Chlorinated Degreaser



This low foam chlorinated degreaser has terrific grease removal properties while producing low foam. It is the ideal product for cleaning equipment and pumps. It does not clog equipment or pumps due to excess foam.

1 Gallon, 2/cs KL-WWMI3

Additional Kitchen Products

KleenLine™ Pro Oven & Grill Cleaner



A heavy-duty, non-flammable, commercial cleaner designed for use on warm or cold surfaces. Quickly removes baked-on foods, grease and carbon deposits.

1 Quart, 12/cs KL-CHFS2
1 Gallon, 4/cs KL-CHFS1
5 Gallon Pail 1/cs KL-CHFS3

KleenLine™ Pro Heavy Duty Oven & Grill Gel



A premium high performance, non fuming, non-flammable, non-butyl, thickened cleaner that clings to vertical surfaces providing longer contact time for easier cleaning.

1 Quart, 12/cs KL-CHFS6
1 Gallon, 4/cs KL-CHFS5

KleenLine™ Pro Heavy Duty Delimer



Heavy Duty Delimer eliminates hard water deposits and lime scale from dish machines and stainless steel.

1 Gallon, 4/cs KL-WWMD3

Additional Kitchen Products

NEEM Grease Traps & Drain Cleanser F.O.G. Pucks Large



Grease Trap & Drain Cleaner FOG pucks (8oz or 226g) is a bacteria block, specifically formulated and packaged for use in restaurant drains & grease traps. Normal use eliminates the cost of daily or weekly treatments and reduces malodors that attract fruit flies.

2.5 X 8 oz. pucks, 64/cs
Z320C1400

NEEM Drain Treatment F.O.G. PUCKS Small



NEEM Drain Treatment FOG Pucks (1/2oz or 16g) provide a continuous dosing of beneficial bacteria and effective ingredients into the beverage tray drain to help prevent build-up and control odors, which will help keep fruit flies away.

1.25 X 9/16 pucks, 400/cs
Z321C1200

Betco Green Earth® Garbage Disposal Cleaner



Green Earth® Garbage Disposal Cleaner is an effective foaming microbial cleaner and freshener for all types of garbage disposals. The pleasant fragrance along with the microbial cleaning action leave tough-to-reach disposal sidewalls, blades, and pipes clog free and smelling fresh.

2 oz. pouches, 30/bucket
WWSA0007

Betco Oxy Destainer Powder



An oxygen releasing compound formulated to remove stains from china and plasticware in restaurants, cafeterias and institutional kitchens. May be used as a presoaking solution prior to machine or manual dishwashing.

2 X 8 lb jars #LASP1

Test Strips and Rolls



Chlorine Test Paper Roll, 1/cs
#CG9033

QT 40 Quaternary Ammonia Roll
1/cs #CG1540

pH Strip Test Roll, 1/cs #CG9034



Charts, Tags, and Decals

KleenLine™ Pro Warewash Dispenser Tags



WWMI1

Three Sink Decals



9266500

KleenLine™ Pro Sure Connect Cap Procedures Wall Chart




SASCD5

KleenLine™ Pro Sanitizer Testing Procedure Wall Chart



SASCD6

KleenLine™ Pro Chlorine Sanitizer Test Procedures Wall Chart



SASCD4

KleenLine™ Pro Pre-Soak Procedures Wall Chart




SASCD2

KleenLine™ Pro High Temp Procedures (Front) Low Temp Procedures (Back)



SASCD3

KleenLine™ Pro Pot & Pan Cleaning Procedure Wall Chart



SASCD7

Featured Warewash Dispensing Equipment

Quantura 200 Dishwash Two-Product Dosing System



Two-product Liquid / Liquid warewashing system, designed to provide reliable, precise, and consistent dispensing of detergent and rinse aid into single tank, conveyor, or flight-type dish machines.

Quantura 2-Pump Warewash Pump Probeless
#QD200P-BT/C/U9

Quantura 100 Dishwash Add-On Pump

Add on pump for Low Temperature warewashing systems, designed to provide reliable, precise, and consistent dispensing of chlorine sanitizer into single tank, conveyor, or flight-type dish machines.

For use with Quantara 200 for 3-Product Dosing System
#QD100-BT/C/U9

Brightwell EcoSink 1-Product Garden Hose Connection



Single portioner with dial control for three compartment sinks and all dilution applications. Can add up to four in a series. 4-GPM.

Dispenser only
(Does not include the faucet adaptors or hose)
#DS1HC-S/U9

Brightwell EcoSink 2-Product Garden Hose Connection



Two product dispenser designed for three compartment sinks for manual dishwashing in industrial kitchens. Female garden hose inlet for faucet connections with adaptors. 4 GPM.

Dispenser only
(Does not include the faucet adaptors or hose)
#DS1HC1HC-S/U9

Brightwell ECOSINK 2 Hot/Cold Connection



Two product dispenser designed for three compartment sinks for manual dishwashing in industrial kitchens. Hot/cold version with 3/8" OD 90 degree connection fittings. 4 GPM.

Brightwell EcoSink 2-Product Hot/Cold Connection
#DS1HC1HH-S/U9



Selecting the correct **Commercial Dish Machine** for your kitchen is important to your bottom line. The BradyPLUS ProWASH team has industry knowledge, a proven process, and relationships with top dish machine vendors. We will listen to your needs, survey your kitchen, and consult with you on selecting the right equipment for your needs today and to meet your future plans.

Wareforce® UL30



Unit
UL30

Racks/Hour
30

Gallons/Rack
1.16

- + Low Temp Undercounter Chemical sanitizing
- + Fill and dump with sustaining heater
- + 120-second cycle
- + Stainless steel wash pump assembly
- + Pumped drain for floor and wall installations
- + Electromechanical timer
- + Delime switch
- + Low product indicator light
- + Built-in chemical pumps and priming switches
- + Durable stainless steel double-wall construction
- + 115/60/1
- + ENERGY STAR® certified

Wareforce® UL30-FND



Unit
UL30-FND

Racks/Hour
30

Gallons/Rack
1.10

- + High temperature sanitizing undercounter
- + Fill and dump
- + 120-second cycle
- + Built-in booster heater with Sani-Sure™ final rinse system
- + Stainless steel wash pump assembly
- + Pumped drain for floor and wall installations
- + Solid state controls
- + Delime cycle
- + Built-in chemical pumps and priming switches
- + Durable stainless steel double-wall construction
- + 208-230/60/1

Wareforce® DG-E



Unit
DG-E

Racks/Hour
39

Gallons/Rack
1.15

- + Low Temp glasswasher
- + Accommodates glasses and ware up to 11" tall
- + Electronic timer
- + Stainless steel wash pump assembly
- + Built-in sustainer heater
- + Easy-access controls
- + Delime switch
- + Built-in stainless steel scrap accumulator
- + Built-in chemical pumps and priming switches
- + Durable stainless steel construction
- + 115/60/1
- + ENERGY STAR® certified

Featured Dish Machines

Wareforce® CG



Unit
CG

Racks/Hour
1200/hour

Gallons/Rack
10/hour

- + Low Temp rotary glasswasher
- + Accommodates glassware up to 12" tall
- + Single switch operation
- + Hot or cold fresh water final rinse
- + Built-in chemical pumps and priming switches
- + Durable stainless steel construction
- + 208-230/60/1

Wareforce® I-E



Unit
I-E

Racks/Hour
41

Gallons/Rack
1.02

- + Low Temp Single rack dish machine
- + 90-second cycle
- + Fill and dump operation disposes of dirty water, replacing it with a fresh water rinse every cycle
- + Electronic timer
- + Top-mounted controls
- + Delime switch
- + Self-draining stainless steel wash pump eliminates soil and detergent carryover between the wash and rinse cycles
- + Low product indicator light
- + Built-in stainless steel scrap accumulator
- + Built-in chemical pumps and priming switches
- + Field convertible from straight-thru to corner and vice versa, kit required
- + Durable stainless steel construction
- + Internal sump
- + 115/60/1
- + ENERGY STAR® certified

Featured Dish Machines

Wareforce® II



Unit
II

Racks/Hour
82

Gallons/Rack
1.06

- + Dual-rack Low Temp dish machine
- + Electronic timer
- + Fill and dump operation disposes of dirty water, replacing it with a fresh water rinse every cycle
- + Self-draining stainless steel wash pump eliminates soil and detergent carryover between the wash and rinse cycles
- + Top mounted controls
- + Delime switch
- + Low product indicator light
- + Built-in stainless steel scrap accumulator
- + Built-in chemical pumps and priming switches
- + Durable stainless steel construction
- + 115/60/1
- + ENERGY STAR® certified

Wareforce® HT-180



Unit
HT-180

Racks/Hour
63

Gallons/Rack
.89

- + High temperature single rack dish machine
- + Built-in booster heater with Sani-Sure™ final rinse system
- + Four selectable timed cycles
- + Stainless steel wash pump assembly
- + Solid-state controls with three selectable timed cycles
- + Delime switch
- + Exhaust vent fan control
- + Field convertible from straight-thru to corner and vice versa, kit required
- + Durable stainless steel construction
- + 208-230/60/1 or 208-230/60/3
- + ENERGY STAR® certified

Featured Dish Machines

Wareforce® 44



Unit
44

Racks/Hour
225 high temp
209 chemical
sanitizing

Gallons/Rack
0.68 high
temp / 0.78
chemical
sanitizing

- + 44" conveyor dishwasher low or high temp
- + Fully-automatic (auto-fill, auto-stop)
- + Exclusive EnergyGuard control system cuts idle energy use by operating the machine only when a rack is being washed or rinsed
- + 25" chamber clearance accommodates oversized sheet pans and other large ware
- + Extra-long separation between wash and rinse sections isolated dirty water and prevents detergent carryover
- + Adjust-A-Peak feature allows operators to adjust conveyor speed without impeding energy efficiently
- + Quiet self-draining stainless steel pump system delivers maximum performance and keeps noise to a minimum
- + External drain handle so operator does not have to reach into the machine
- + Durable stainless steel construction
- + 208-230/60/3

Wareforce® 66



Unit
66

Racks/Hour
225 high temp
209 chemical
sanitizing

Gallons/Rack
1.06

- + 66" conveyor dishwasher low or high temp
- + Fully-automatic (auto-fill, auto-stop)
- + Exclusive EnergyGuard control system cuts idle energy use by operating the machine only when a rack is being washed or rinsed.
- + 25" chamber clearance accommodates oversized sheet pans and other large ware
- + Extra-long separation between wash and rinse sections isolated dirty water and prevents detergent carryover
- + Adjust-A-Peak feature allows operators to adjust conveyor speed without impeding energy efficiently
- + Quiet self-draining stainless steel pump system delivers maximum performance and keeps noise to a minimum
- + External drain handle so operator does not have to reach into the machine
- + Durable stainless steel construction
- + 208-230/60/3

Warewash Accessories

F Style Wall Mount Hook



Product holder for Max-3X closed loop bottles.

TCD-70-0903, 1/cs

Stainless Steel Box



Security box for Max-3X closed loop bottles.

CC-100, 1/cs

Mating Cap (Straight)



Mating cap for use with Max-3X closed loop bottles with straight line adapter

SASCD0001, 1/cs

Mating Cap (90 Degree Angle)



Mating cap for use with Max-3X closed loop bottles with 90 degree adapter for tight areas.

9265810, 1/cs

Max-3X Hand Pump



1 oz. Pump, Use with Manual Pot & Pan Detergent, Liquid Pre-Soak and Floor Cleaner.

92668-10, 1/cs

1/4 oz. Pump, Use with Quat Sanitizer
92669-10, 1/cs





SUPPLIES + SUPPORT



We are a leading specialized distributor and solution provider focused on JanSan, foodservice, and industrial packaging. We are driven to make customers more successful and operations more sustainable and more productive.

We offer Supplies PLUS Support: Premium brands, expert advice, and exceptional customer experiences. Our 6,000 associates have a passion for delivering innovative solutions for the business challenges of today and tomorrow.

Together, we serve thousands of customers nationwide in end markets, including education, government, healthcare, hospitality, restaurants, building services, food packaging & processing, and grocery.

For more information on BradyPLUS, visit **BradyPLUS.com**

JSE-GEN-0000004v2 04-2025



Exclusively available through BradyPLUS and our Regional Distribution Brands
BradyPLUS.com + (877) 788-PLUS

© BradyPLUS